Child Health Evaluation and Research Unit





University of Michigan C.S. Mott Children's Hospital

Electronic Health Record (EHR) Interoperability with MCIR

Progress to Date

Kevin Dombkowski
October 8, 2013

Background

HL7 messaging with MCIR:

- Pilot testing initiated December, 2010
- Live production reporting March 2012

Potential benefits:

- Real time reporting faster?
- Automatic reporting more complete?
- Linked to EHR more accurate?

Objectives

Overall goals

- Assess evidence of changes in reporting to MCIR
- Measure key immunization data quality metrics
 - timeliness, completeness, accuracy
 - identify opportunities for improvement

Approach

- Evaluation sites selected from MCIR practices across several dimensions
 - practice medical specialty
 - EHR vendor
 - method of data transfer pre-HL7
 - geographic area, sub-state HIE affiliation
- Goal: evaluate 200 sites
- Evaluate 180 days pre-/post HL7


Evaluation Sites


- Based on availability of 6+ months of data post–HL7 "go live" date
- As of August 28, 2013:
 - 84 sites had sufficient post-HL7 data
 - go-live dates range:


5/14/2012 - 2/28/2013

Evaluation Sites

- Categorized based on pre-HL7 method of reporting:
 - Transfer Sites: used electronic file transfer (n=50)
 - Hand Entry Sites: use keyboard data entry (n=34)







Approach

- Data Quality Reports
 - evaluate timeliness, completeness, accuracy
 - based on methods developed by Nathan Bunker
- Contact information
 - assess address, patient, responsible party modifications

Pre-HL7 Time Period (180 days) Post-HL7 Time Period (180 days)

Go Live Date

Pre-HL7 Time Period (180 days) Post-HL7 Time Period (180 days)

Data Quality Report

- Timeliness
- Accuracy
- Completeness

Go Live Date

Pre-HL7 Time Period (180 days) Post-HL7 Time Period (180 days)

Data Quality Repo

- Timeliness
- Accuracy
- Completeness

Data Quality Report

- Timeliness
- Accuracy
- Completeness

Contact Information

- Address
- Patient
- Responsible Party

Go Live Date



Patient Fields

Patient ID

First Name

Last Name

Birth Date

Sex Code

Address

Street

City

State

Zip

Middle Name

Phone Number

Mother's Maiden Name

Required



















Patient Fields

	Required	Expected
Patient ID	\checkmark	
First Name	\checkmark	
Last Name	\checkmark	
Birth Date	\checkmark	
Sex Code	\checkmark	
Address	\checkmark	
Street	\checkmark	
City	\checkmark	
State	\checkmark	
Zip	\checkmark	
Middle Name		✓
Phone Number		✓
Mother's Maiden Name		✓

Vaccine Fields

Administration Date

Vaccine Code

Lot_Tx

Lot Nbr

Lot ID

MFR Code

VFC Code

Required





Vaccine Fields

	<u>Required</u>	Expected
Administration Date	\checkmark	
Vaccine Code	\checkmark	
Lot_Tx		✓
Lot Nbr		✓
Lot ID		✓
MFR Code		✓
VFC Code		\checkmark


Vaccine Group Fields

	<u>Required</u>	<u>Expected</u>
DTaP		\checkmark
Hep B		\checkmark
Polio		\checkmark
Hib		\checkmark
Influenza		\checkmark
MMR		\checkmark
Varicella		\checkmark
PCV		\checkmark


Preliminary Results

- DQA results summarized by various site characteristics, including:
 - practice type
 - pre-HL7 data entry method
 - EHR vendor
 - HIE affiliation

Overall Data Quality Score 180 Days Pre-/Post-HL7 n = 84



Overall Data Quality Score 180 Days Pre-/Post-HL7 n = 84



Practice Type


☑ Pre-HL7

■ Post-HL7

Data Quality Score


- Completeness Score (50%)
 - completeness of child, shot, and responsible party information submitted

Completeness Score 180 Days Pre-/Post-HL7 n = 84



Practice Type

Completeness Score 180 Days Pre-/Post-HL7 n = 84



Practice Type

☑ Pre-HL7

■ Post-HL7


Completeness

- Post-HL7 similar to pre-HL7
- Consistent across practices types


Data Quality Score

- Accuracy Score (40%)
 - describes frequency of fields with invalid values

Accuracy Score 180 Days Pre-/Post-HL7 n = 84



Accuracy Score 180 Days Pre-/Post-HL7 n = 84



☑ Pre-HL7

■ Post-HL7


Accuracy

- Post-HL7 accuracy scores generally higher than Pre-HL7 counterparts
- One consistent issue
 - missing vaccination lot number


Data Quality Score

- Timeliness Score (10%)
 - average score for all transfer jobs sent over a given timeframe
 - based on most recent dose administered date

Timeliness Score 180 Days Pre-/Post-HL7 n = 84



Timeliness Score 180 Days Pre-/Post-HL7 n = 84



Practice Type

☑ Pre-HL7

■ Post-HL7


Timeliness

- Post-HL7 timeliness scores consistently higher than pre-HL7 scores
- High proportion of post-HL7 doses reported "early"
- Pre-HL7 doses more likely to be reported "on time" or "late"

Contact Information


- Queried address, patient, and responsible party update information
 - -frequency of records created or modified
- Summarized data according to site characteristics
 - practice type
 - pre-HL7 data entry method
 - EHR Vendor

Address Records Created 180 Days Pre/Post-HL7 n = 84



Pre-HL7

Address Records Created 180 Days Pre/Post-HL7 n = 84




Records Created

- Increased for transfer sites
- Unknown whether duplication errors may exist

Address Records Modified 180 Days Pre/Post-HL7


n = 84



Previous Method of Data Entry

Address Records Modified 180 Days Pre/Post-HL7

n = 84



☑ Pre-HL7

■ Post-HL7

Records Modified

- Consistently higher post-HL7 than pre-HL7
- May reflect benefits of using EHR data which is routinely updated
- Content / accuracy of updates unknown

Next Steps

- Continued review and refinement
- Evaluate content of address additions / modifications
- Repeat queries as data for new sites become available
- Consider bi-directional interoperability

Collaborators

- Michigan Department of Community Health
- Shiming Dong
- Kyle Heckaman

Kevin Dombkowski, DrPH, MS

Research Associate Professor

University of Michigan, Division of General Pediatrics

Child Health Evaluation and Research (CHEAR) Unit

www.chear.org

kjd@med.umich.edu

(734) 615-6758

