

Submission and Acknowledgement Assessment Aggregate Report – Remeasurement #1 Results May 2017 – Quarter 2

Background

In 2015, AIRA launched an Interoperability Testing and Discovery Project to determine the level of alignment between current Immunization Information Systems (IIS) and the community's interoperability standards. The testing and discovery project, still currently in place, connects with IIS pre-production systems directly and submits sample messages to these IIS development platforms.

The testing project is the first step in an overall IIS measurement and improvement process. The next step is IIS Assessment. The results from the testing and discovery project are used to inform the IIS Assessment process which is heavily informed by IIS Functional Standards¹ and Operational Guidance Statements. A third step following IIS Assessment being explored is IIS Certification.

In early 2016, the Measurement for Assessment and Certification Advisory Workgroup (MACAW) was initiated to systematically research and formulate key IIS assessment components, develop metrics, and implement the IIS assessment and certification process. MACAW utilizes the testing and discovery project results to identify and develop assessment metrics for particular IIS components. Those measures are then vetted and approved by the IIS community. Submission and Acknowledgement Assessment is the second official measurement area for IIS Assessment and this report contains the aggregate results of the three-month re-measurement completed in May 2017. This process will be repeated in August 2017 to determine if progress is being made in the community.

In addition to this aggregate report, a detailed individual report is provided to each participating jurisdiction for use within their own projects for improvements. AIRA will not redistribute any individual IIS results outside of their respective jurisdiction and self-selected sharing settings within the Aggregate Analysis Reporting Tool, or AART.²

The IIS Assessment process utilizes the National Institute of Standards and Technology (NIST) Immunization Test Suite Validation Tool.³ This tooling provides consistent conformance based results for all participants. In addition, the technical requirements for data submission and acknowledgement are documented in the *HL7 Version 2.5.1: Implementation Guide for Immunization Messaging, Release 1.5*⁴ and addendum.⁵ This is referred to as the "National IG" in the remainder of this document.

It is important to keep in mind that, at the time of measurement, many IIS were currently in the midst of implementing the National IG. This report not only constitutes an quarterly snapshot of standards alignment, but in conjunction with each jurisdiction's individual report, can provide valuable information to guide ongoing and upcoming enhancements.

¹ http://www.cdc.gov/vaccines/programs/iis/func-stds.html

² http://ois-pt.org/dgacm/home

³ https://hl7v2-iz-r1.5-testing.nist.gov/iztool/#/home

⁴ https://www.cdc.gov/vaccines/programs/iis/technical-guidance/downloads/hl7guide-1-5-2014-11.pdf

⁵ https://www.cdc.gov/vaccines/programs/iis/technical-guidance/downloads/hl7guide-addendum-7-2015.pdf

Submission and Acknowledgement Measures

The Submission and Acknowledgement Assessment⁶ spans 14 measures in all and are guided by the following Functional Standards.

Functional Standard 1.5: The IIS can receive submissions in accordance with interoperability standards endorsed by CDC for message content/format and transport.

Functional Standard 3.4: The IIS can store all Core Data Elements.

Functional Standard 3.6: The IIS records and makes available all submitted vaccination and/or demographic information in a timely manner.

The following are the community approved Submission and Acknowledgement Assessment measures which are reported in this document. Note that Measures 1-11 focus on submission, 12-13 focus on acknowledgement, and 14 focuses on timeliness.

- 1) The IIS processes an administered vaccine for a patient.
- 2) The IIS processes a historical vaccine for a patient.
- 3) The IIS processes the submission of a full immunization record for a patient.
- 4) The IIS processes an update to a previously submitted vaccination event.
- 5) The IIS processes a delete to a previously submitted vaccination event.
- 6) The IIS processes a submission where the patient does not give consent (i.e., patient data is protected) to share data.
- 7) The IIS processes a refusal of a vaccination.
- 8) The IIS processes an adverse event.
- 9) The IIS processes an observation about a patient which results in a contraindication or immunity to a vaccine preventable disease.
- 10) The IIS processes messages in accordance with the HL7 2.5.1, release 1.5 guide.
- 11) The IIS processes both complete and incomplete/partially administered doses.
- 12) The IIS responds to a correctly formatted message with no errors.
- 13) The IIS responds to a submission that has an error.
- 14) The IIS responds to a submission with an ACK within 5 seconds or less for 95% of the records submitted.

The following words were carefully chosen and defined to mean the following within each measure:

- **Processes:** This means the IIS reads the incoming message and makes appropriate decisions (e.g., de-duplicates, stores, queries, rejects, etc.) based on the information in the incoming message and previously known information already in the IIS.
- **Responds:** This means the IIS returns a final resolution, or outcome, of processing the message with a conformant HL7 message.

Test Cases

Each measure is assessed through the use of test cases which were reviewed and agreed upon by the community. Each measure has at least one test case, but may have more as needed. In all, 25 test cases

⁶ http://www.immregistries.org/resources/aira-initiatives/assessment/IIS Assessment Measures and Tests - Submission and Ack - final.pdf

were developed, reviewed, and approved across the 14 measures. Test cases were developed with the following guiding principles in mind:

- **Isolate the Test Case to the measure:** Each test case should be isolated to the measure to ensure consistent measurement across all IIS.
- Expectations for a test case should be few, not many: Multiple expectations either in number or variation leads to inconsistencies in assessment across all IIS. For example, IIS "A" could fail for one reason while IIS "B" fails for a different reason. When results are aggregated across all IIS, it becomes difficult to tease apart the variation and develop actionable improvement strategies.
- Test for Good Behavior: Assessment should focus on the proper behavior based on standards. There is little value in testing with negative or edge cases at this stage and a focus on desired behavior will help maintain a manageable number of test cases. Testing and Discovery (aka: The AART pentagon report) uses a significant number of negative and edge test cases, so key concepts of interest can be tested in that stage.

Test Outcomes

Each test case has a defined Test Case Expectation. The test cases and test case expectations are used during testing to determine how well an IIS aligns with the National IG. Once each test case is executed against an IIS, the IIS is deemed to be in one of the following three categories:

Fully Meets: The IIS meets the test case expectation without modification to the test case or test case expectation(s).

Deviates from National Standard: The IIS can meet the test case expectation with modification to the test case or test case expectation(s) which supports the local business need, policy, or law.

Does Not Meet: The IIS cannot meet the test case expectation either due to non-standard requirements, capability limitations, or otherwise arbitrary requirements which do not support local business need, policy, or law.

Measure Outcomes

Once test cases have been executed and their outcomes assessed, each individual measure is assessed to determine a measure outcome. Similar to test outcomes, measure outcomes can be categorized as: Fully Meets, Deviates from National Standard, or Does Not Meet. These categories are derived by rolling up the test outcomes for the measure assigning the lowest test outcome as the measure outcome. For example, Measure 10 consists of five tests. If an IIS "Fully Meets" two tests, "Deviates" on two tests, but "Does Not Meet" one test, the measure outcome is categorized as "Does Not Meet" since that is the lowest test outcome. To "Fully Meet" a measure, all test outcomes must be categorized as "Fully Meets".


Results

59 IIS (which includes all 50 states, plus CNMI, D.C., Guam, New York City, Philadelphia, Puerto Rico, San Diego, San Antonio, and the Virgin Islands) were encouraged to voluntarily participate in the IIS Assessment. Of the 59, 31 IIS opted to participate in the IIS Submission and Acknowledgement Assessment for the three-month re-measure in May, 2017.



Last Updated: May 17, 2017

Of the 31 IIS participating in the Submission and Acknowledgement Assessment baseline, 29 could be measured. AIRA was unable to connect to two IIS at the time of this report and they are not included in the results below.



Of the 29 IIS assessed, the following high-level notes should be understood when reading the graph above:

- Barcode VIS: All measures processing an administered dose (Measures 1, 3, 4, 5, 10, 11) included at least one barcoded VIS. Six (6) IIS were unable to process messages that contained a barcoded VIS. This accounted for 36 (50%) of the 72 "Does Not Meet" across Measures 1 11 (the submission measures).
- Measure 10: Measure 10 repeats Measures 1, 2, 7, 8, and 9, but only supplies the minimal amount of data required by the National IG. IIS who were unable to process a message when fully supplied in earlier measures, also were not able to process the messages when minimally supplied in all but one IIS. In Measure 10, success is limited most significantly by Measure 9 which has the most IIS not meeting the measure.
- Measure 12 and 13: These measure the ACK from the IIS for proper answer (e.g., did the IIS accept a clean message, did the IIS point out a data quality problem) as well as ACK conformance. The IIS almost always came to the proper answer, but the ACK failed technical conformance. Conformance with a defined standard is an all-or-nothing measurement. Some IIS were extremely close to passing while others were quite far away, yet both are classified as Does Not Meet.

Finer details on the testing results where IIS deviated or did not meet the standard can be seen in Appendix A.

Summary of Progress

The three-month re-measurement showed progress in the following areas:

- **Participation:** 31 IIS agreed to participate in this measurement. This is an increase of 3 IIS since the initial baseline.
- Passed all measures: 3 IIS have successfully passed all measures and tests. No IIS passed all
 measures during the initial baseline measure. A third IIS was close, missing only the timeliness
 measure.
- Acknowledgement Alignment: 4 IIS now pass both Acknowledgement Measures (12 and 13). This is an increase of 3 IIS since the initial baseline.
- Accepts Minimally Required Messages: 15 IIS can now accept messages which only contain the required fields as specified by the National IG (Measure 10). This is an increase of 3 IIS since the initial baseline.

Re-measurement

The next re-measurement for Submission and Acknowledgement Assessment will take place in August 2017, and we hope to show increases in both participation and in IIS who fully meet measures and tests for this phase of measurement. Participation settings can be updated in AART at any time.

The limitations section below notes one of the primary limitations in the accuracy of this report is the inconsistency in the IIS ACK despite the National IG. Future re-measurements will assess and raise the bar on ACK consistency in Measures 1-11 to ensure consistent application of the measures and outcomes across all participants.

Limitations of Report

• Focus on HL7, not functional outcomes: This phase of assessment focuses (as much as possible) on HL7 alignment, not necessarily on functional outcomes. For example, Measure 5 focuses on

deleting a vaccination event which was previously submitted. The acknowledgement (ACK) message from the IIS is used to assess the submitted (VXU) message containing the delete. An ACK indicating the IIS accepted the VXU results in a passing measure. Further work is needed to determine if the vaccination event was actually deleted.

- o **Impact on Assessment:** IIS might pass HL7 conformance, but not actually performing the underlying function.
- Acknowledgement (ACK) inconsistencies: Acknowledgements (ACK) continue to be quite variable and non-standard. This inconsistency makes understanding the difference between a warning and a rejection difficult to discern across the entire landscape of IIS interfaces.
 - Impact on Assessment: This problem can be both a false positive and a false negative.
 IIS might actually accept the message, but the assessment process determines the message was rejected. Conversely, some IIS might actually reject a message, but the assessment process determines the IIS accepted the message.
- Auto-Accept IIS: Some IIS return a positive Acknowledgment (MSA-1 = AA) all of the time regardless of the message quality.
 - O Impact on Assessment: Measures 1-11 (the submission measures) use the Acknowledgement message to determine acceptance or rejection of the message. IIS who auto-accept the data, may actually reject the data later on in processing but this goes unnoticed. The IIS is noted as fully meeting the national IG when, in fact, they do not accept some of the data the way their ACK implies.
- **Release 1.5 Focus:** It is important to keep in mind that this phase of measurement looks at IIS alignment with the HL7 2.5.1 release 1.5 Implementation Guide, and many IIS are in the midst of the planning or implementation process of enhancing their systems to align with this guide.
 - Impact on Assessment: This makes the testing process especially useful to inform and test enhancements, but may artificially suppress results while IIS are testing and rolling out their updates.
- Meaningful Use Stage 3 Readiness: One item above and beyond release 1.5 is the federal
 requirement to use NDC codes rather than CVX codes for administered vaccines. This first
 baseline used CVX codes for administered vaccines given the pulse of the community and testing
 and discovery work performed to date. At some point in the future, the tests will be changed to
 submit NDC codes for administered vaccines.
 - Impact on Assessment: Measures 1, 3, 4, 5, 10, and 11 all submit administered vaccines, but do not submit an NDCat this time. This limits the understanding of true technical readiness for Meaningful Use.

General Recommendations

- Continued education and direction is needed on ACK messaging to ensure IIS are implementing standards consistently across all systems. The ACK is becoming the face of the IIS and is the only way to determine in an automated (and real-time) fashion if the submitted data was accepted by the IIS. Positive movement is being seen by select IIS, but more work is needed as we move closer to Meaningful Use Stage 3 where certified EHRs are required to consume ACK messages per the National IG.
- 2. Accepting VIS data is problematic for a significant number of IIS. There is also a growing discussion nationally on the value and need for this data in an IIS. VIS data alone negatively impacted six of the 11 submission measures. National direction is needed on commitment to VIS data or removal of VIS data as a key data element for IIS to capture, maintain and use.
- 3. Refusals, adverse events, contraindications, and immunities proved to be challenging to construct and submit to IIS in part due to the looser-than-normal requirements in the National

- IG. As such, this resulted in varied implementations of the standard for IIS who accept this type of data. Improving future National IGs will help stabilize these messages and implementation thereof. In the meantime, guidance should be provided to implementers who are planning for the future or looking to improve on this area of their IIS.
- 4. IIS should closely review identified cases where the IIS "Deviates from the National Standard" to see if they can align with the National IG while still meeting their business needs. This measurement process has now discovered 13 unique local requirements amongst seven IIS. Two questions should be asked when reviewing deviations:
 - 1. Can I live without this data and still accept the message?
 - 2. Is the data I'm getting today in this field accurate and of good quality or is it sometimes default or filler data (e.g., 100 Main St., abnormal percentage of intramuscular shots, etc.) to meet my additional requirements?
- 5. Operationally, IIS should coordinate with their interface partners in jointly aligning with standards while, whenever possible, not disabling existing interfaces. It is important to communicate to partners that modifications may demand short-term work but yield long-term gains in faster and easier interoperability and interface development.
- 6. IIS should utilize conformance tooling provided by NIST when developing and/or improving implementation of the HL7 standards. The tooling can aid the software development process. The tool is located at https://hl7v2-iz-rl.5-testing.nist.gov/iztool/#/home and is free to use without installation or registration.

Questions and/or Comments

Please direct questions and/or comments on this aggregate report to the <u>AIRA Technical Assistance</u> <u>Team.</u>

Appendix A

The following appendix provides the specific details on the reasons why assessment participants either "Deviates From" or "Did Not Meet" the Submission and Acknowledgement Assessment measures.

Submission Measures

Measures 1-11 focus on the submission of data to the IIS via the VXU message. The following reasons were uncovered during assessment for why an IIS "Deviates From" or "Does Not Meet" the National Standard.

Deviates From Standard	Does Not Meet
(4 IIS) Requires Address: The IIS will reject the	(7 IIS) No ACK, unclear ACK: Depending upon the
message without Patient Address information.	message submitted, seven IIS responded to the
	VXU in such a way that it wasn't clear what the IIS
	did with the data. In all of these cases, the IIS
	either didn't respond, responded with plain text
	(e.g., not HL7), or an ACK which dictated a
	problem, but nothing more (e.g., it couldn't be
	determined what the problem was). These
	responses were isolated to messages containing
	consent (Measure 6), refusals (Measures 7, 10),
	adverse events (Measures 8, 10), or
	contraindications/immunities (Measures 9, 10).
(4 IIS) Requires Route: The IIS will reject	(6 IIS) Reject Barcode VIS: Release 1.4 (8/1/2012)
administered vaccination events without route of	of the National IG introduced a way to message
administration being supplied.	the VIS presentation as a barcode. Starting with
	Release 1.5 (10/1/2014) of the National IG, the
	barcode method is preferred approach over
	legacy methods for submitting the VIS data to the
	IIS. EHR's preparing for Meaningful Use Stage 3
	through certification are being required to submit
	VIS using the barcodes. The inability to accept VIS
	affected Measures 1, 3, 4, 5, 10, 11 which all had
	at least one test containing a barcoded VIS as
	part of the message.
(2 IIS) Requires Body Site: The IIS will reject	(5 IIS) Rejects valid HL7: It is possible that an IIS
administered vaccination events without body	may not collect certain data, but it is important
site being supplied.	that an IIS react to this data appropriately when a
	conformant message is submitted. In several
	cases, IIS respond with an error indicating the
	VXU submission had an error, when in fact, the
	limitation is on the IIS in receiving valid HL7.
	There is nothing the VXU submitter can do to
	correct the message and have the IIS accept the
	message. Rather the IIS should return an
	informational message the data is not currently
	collected. These responses were isolated to

	messages containing refusals (Measures 7, 10),
	adverse events (Measures 8, 10),
	contraindications/immunities (Measures 9, 10),
	or Partial Administrations (Measure 11).
(1 IIS) Requires Race: The IIS will reject the	(1 IIS) Invalid use of MSH-4: One IIS requires non-
message without patient race being supplied.	standard usage of MSH-4. This limitation results
	in a rejection of all measures, so the IIS is
	effectively unable to be measured until this issue
	is resolved. It should be noted that fixing this to
	align with standards will need careful
	consideration as it is rolled out with existing
	interfaces already configured to meet the non-
	standard usage of MSH-4.
(1 IIS) Requires Ethnicity: This IIS will reject the	(1 IIS) Rejects PCV Unspecified: One IIS rejected
message without patient ethnicity being supplied.	historical rotavirus vaccination records indicating
	CVX 122 (Rotavirus Unspecified) was not a valid
	code for the dates submitted. The dates were in
	the 2015 – 2016 timeframe.
(1 IIS) Requires the Security field: MSH-8 is an	(1 IIS) Rejects Rotavirus Unspecified: One IIS
optional field in the National IG, but required by	rejected historical rotavirus vaccination records
the IIS or all messages will be rejected.	indicating CVX 122 (Rotavirus Unspecified) was
	not a valid code for the dates submitted. The
	dates were in the 2015 – 2016 timeframe.
(1 IIS) Requires VFC eligibility on historical doses:	
The IIS will reject historical vaccination events	
unless VFC eligibility is supplied.	
(1 IIS) Requires Patient Address including county:	
The IIS will reject the message without the county	
included as part of the address.	
(1 IIS) Requires Patient Primary Facility: The IIS	
will reject the message without the patient	
primary facility (PD1-3) which is an optional field	
in the National IG.	
(1 IIS) Requires Lot Expiration Date: The IIS will	
reject administered vaccination events without a	
lot expiration date.	
(1 IIS) Requires Vaccine Funding Source: The IIS	
will reject administered vaccination events	
without a vaccine funding source.	
(1 IIS) Requires Mother's Maiden Name: The IIS	
will reject the message without Mother's Maiden	
Name.	
(1 IIS) Requires Responsible Person for a minor	
who is eligible for VFC: Must also include NK1	
address in addition to NK1 Nationally required	
fields	
(1 IIS) Requires at least 1 vaccination: The IIS	
requires that at least one vaccination event be	
included in a message. Measure 7 (Refusal),	

Measure 8 (Adverse Event), and Measure 9	
(Contraindication/Immunity) all submit the	
message without a vaccination event, but are	
rejected unless a vaccination event is also	
included.	

Acknowledgement Measures

All measures use the Acknowledgement (ACK) from the IIS to determine the outcome of processing, but only two measures (Measures 12 and 13) focus explicitly on the technical conformance of the ACK.

Measure 12

The purpose of this measure is to validate the conformance of the ACK message when a conformant VXU message is submitted.

Deviates From Standard	Does Not Meet
	(24 IIS) Supplied correct answer, but failed HL7
	conformance: IIS accepted the basic message
	containing one historical vaccination event, but
	the ACK response stating acceptance did not
	meet the technical conformance per the National
	IG.
	(1 IIS) Invalid use of MSH-4: One IIS requires non-
	standard usage of MSH-4. This limitation results
	in a rejection of all measures, so the IIS is
	effectively unable to be measured until this issue
	is resolved. It should be noted that fixing this to
	align with standards will need careful
	consideration as it is rolled out with existing
	interfaces already configured to meet the non-
	standard usage of MSH-4.

Measure 13

The purpose of this measure is to validate the conformance of the ACK message when a problematic message is submitted to the IIS. The measure contains two tests, so some IIS show up in more than one row below.

Deviates From Standard	Does Not Meet
	(22 IIS) Supplied correct answer, but failed HL7
	conformance: IIS identified the problem with the
	message and returned an acknowledgement
	(ACK) indicating the data problem, but the ACK(s)
	did not meet the technical conformance per the
	National IG.

(4 IIS) Appeared to accept message: IIS did not
return an acknowledgement (ACK) indicating a
problem with the poor data in the message. The
IIS appears to have accepted the data.
(1 IIS) No HL7 ACK response: One IIS did not
return an ACK, but rather plain text indicating
there was a generic error.
(1 IIS) Invalid use of MSH-4: One IIS requires non-
standard usage of MSH-4. This limitation results
in a rejection of all measures, so the IIS is
effectively unable to be measured until this issue
is resolved. It should be noted that fixing this to
align with standards will need careful
consideration as it is rolled out with existing
interfaces already configured to meet the non-
standard usage of MSH-4.

Timeliness Measure

Measure 14 focused on the round-trip response time from the time the message was submitted until the response from the IIS was received. To fully meet this measure the IIS needed to respond within 5 seconds for 95% of the VXU messages. The total number of VXU's submitted as part of the assessment process was 58. This means the IIS is only able to respond slower than 5 seconds on 3 of those submissions which is quite tight. Future assessments may want to reconsider how to measure timeliness over a larger sample size. A second consideration is the use of pre-production environments for assessment which may not put as much emphasis on performance as production environments do.

Deviates From Standard	Does Not Meet
	(5 IIS) Did not respond within 5 seconds 95% of the time: Two of the IIS were very slow responding in less than 5 seconds on all messages.
	Three IIS were closer to the metric responding in less than 5 seconds on 86% - 93% of the messages.